

Page 1/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.12.2016

Version number 12

Revision: 09.12.2016

#### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

- Trade name: KEIM GRANITAL-DILUTION (SPEZIAL-FIXATIV)
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the mixture Silicated dilution and primer
- · Uses advised against All other uses are not recommended.
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

KEIM MINERAL PAINTS LTD Santok Building / Deer Park Way, Donnington Wood GB-Telford, Shropshire TF2 7NA Tel +44 1952 231 250 / Fax +44 1952 231 251 www.keimpaints.co.uk / sales@keimpaints.co.uk

- Further information obtainable from: David Pratt Telefon: +44 1952 231250 E-Mail: sales@keimpaints.co.uk
- **1.4 Emergency telephone number:** GBK GmbH Global Regulatory Compliance Emergency number: +49(0)6132/84463

# **SECTION 2: Hazards identification**

• 2.1 Classification of the substance or mixture

- Classification according to Regulation (EC) No 1272/2008
   The product is not clossified according to the CLD regulation
- The product is not classified according to the CLP regulation.
- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- $\cdot$  2.3 Other hazards Alkaline product. Avoid contact with skin and eyes.
- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

#### SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Aqueous solution of alkali silicate, organic modified
- · Dangerous components: Void

(Contd. on page 2)

GB



Page 2/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.12.2016

Version number 12

Revision: 09.12.2016

Trade name: KEIM GRANITAL-DILUTION (SPEZIAL-FIXATIV)

(Contd. of page 1)

# **SECTION 4: First aid measures**

· 4.1 Description of first aid measures · General information: No special measures required. When seeing the doctor we suggest to present this safety data sheet. · After inhalation: Supply fresh air; consult doctor in case of complaints. · After skin contact: Immediately wash with water and soap and rinse thoroughly. Do not use solvents or thinners. If skin irritation continues, consult a doctor. · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; call for medical help immediately. 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available. • 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available. **SECTION 5: Firefighting measures** 5.1 Extinguishing media · Suitable extinguishing agents: Product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings. 5.2 Special hazards arising from the substance or mixture No further relevant information available. · 5.3 Advice for firefighters · Protective equipment: Wear self-contained respiratory protective device. · Additional information Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. In case of fire do not breathe smoke, fumes and vapours. **SECTION 6: Accidental release measures** · 6.1 Personal precautions, protective equipment and emergency procedures Respect the protection rules (see section 7 a. 8). Avoid contact with skin and eyes. Ensure adequate ventilation 6.2 Environmental precautions: Do not allow product to reach soil, sewage system or any water course. Follow local governmental rules and regulations. 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of the material collected according to regulations.

(Contd. on page 3)



Page 3/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.12.2016

Version number 12

Revision: 09.12.2016

#### Trade name: KEIM GRANITAL-DILUTION (SPEZIAL-FIXATIV)

(Contd. of page 2)

Clear contaminated areas thoroughly. Flush rests with sufficient amount of water.

- 6.4 Reference to other sections
- No dangerous substances are released.
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

- · 7.1 Precautions for safe handling
- Keep receptacles tightly sealed.
- Avoid contact with skin and eyes.

See item 8 for information about suitable protective equipment and technical precautions. Respect the protection rules.

- Information about fire and explosion protection: The product is not flammable. No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- **Requirements to be met by storerooms and receptacles:** Keep in the original containers in a cool and dry place. Store only in unopened original receptacles.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Protect from frost.
- Store in a cool place.
- Protect from heat and direct sunlight.
- · Storage class: 12
- 7.3 Specific end use(s) No further relevant information available.

# **SECTION 8: Exposure controls/personal protection**

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:
- Avoid contact with the eyes and skin. Do not inhale aerosols.
- Respiratory protection:

Use suitable respiratory protective device only when aerosol or mist is formed.

(Contd. on page 4)



Page 4/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.12.2016

Version number 12

Revision: 09.12.2016

(Contd. of page 3)

#### Trade name: KEIM GRANITAL-DILUTION (SPEZIAL-FIXATIV)

Filter: P

• Protection of hands: Protective gloves

#### · Material of gloves

suitable material e.g.: Nitrile impregnated cotton-gloves

Natural rubber, NR

Recommended thickness of the material:  $\geq 0.5$  mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

Value for the permeation: Level  $\geq$  6 (480 min)

The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Goggles recommended during refilling

· Body protection: Protective work clothing

· Limitation and supervision of exposure into the environment See Section 12 and 6.2

# SECTION 9: Physical and chemical properties

General Information	
Appearance: Form:	Fluid
Colour:	milky
Odour:	Characteristic
Odour threshold:	Not determined.
pH-value at 20 °C:	~11
Change in condition	
Melting point/Melting range:	~ 0 °C
Boiling point/Boiling range:	>100 °C
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	Not determined.
Decomposition temperature:	Not determined.
Self-igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.

- GE



Page 5/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.12.2016

Version number 12

Revision: 09.12.2016

#### Trade name: KEIM GRANITAL-DILUTION (SPEZIAL-FIXATIV)

	(Contd. of page
Explosion limits:	
Lower:	Not applicable.
Upper:	Not applicable.
Oxidising properties	Not applicable.
Vapour pressure at 20 °C:	23 hPa
Density at 20 °C:	1.03* g/cm <sup>3</sup>
Relative density	Not determined.
Vapour density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
water:	miscible
Partition coefficient (n-octanol/wa	ater): Not applicable.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
9.2 Other information	* The values are for freshly produced material and ma change with the time.

# **SECTION 10: Stability and reactivity**

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

• Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: Acids
- 10.6 Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed.

# **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification: Not determined
- · Primary irritant effect:
- Skin corrosion/irritation Frequent persistent contact with the skin may cause skin irritation.
- · Serious eye damage/irritation In case of longer exposure, slightly irritating effect is possible.
- · during inhalation: Irritant effect possible.
- · during swallowing: Irritant effect possible
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

(Contd. on page 6)



Page 6/8

#### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.12.2016

Version number 12

Revision: 09.12.2016

#### Trade name: KEIM GRANITAL-DILUTION (SPEZIAL-FIXATIV)

(Contd. of page 5)

#### · Other information (about experimental toxicology):

Experimental analysis are not available.

The product was not tested. The statements on toxicology have been derived from the properties of the individual components.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) not applicable

Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity Based on available data, the classification criteria are not met.

• **Reproductive toxicity** Based on available data, the classification criteria are not met.

• **STOT-single exposure** Based on available data, the classification criteria are not met.

- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

# **SECTION 12: Ecological information**

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- AOX-indication:

Due to the substance of content which do not include organic jointed halogens, the product can not take influence on the AOX-load of the waste water.

# • According to the formulation contains the following heavy metals and compounds from the EU guideline NO. 2006/11/EC:

According to our current data base the product does not consist of any heavy metals or substances of EU-directives 76/464/EWG.

- · General notes:
- At present there are no ecotoxicological assessments.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

#### 12.5 Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

# **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- **Recommendation** Disposal must be made according to official regulations.
- · European waste catalogue
- 06 02 99 wastes not otherwise specified

#### · Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

(Contd. on page 7)



Page 7/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.12.2016

Version number 12

Revision: 09.12.2016

#### Trade name: KEIM GRANITAL-DILUTION (SPEZIAL-FIXATIV)

· Recommended cleansing agents: Water, if necessary with cleansing agents.

(Contd. of page 6)

SECTION 14: Transport information		
· 14.1 UN-Number · ADR, IMDG, IATA	Void	
<ul> <li>14.2 UN proper shipping name</li> <li>ADR, IMDG, IATA</li> </ul>	Void	
· 14.3 Transport hazard class(es)		
· ADR, IMDG, IATA · Class	Void	
<ul> <li>14.4 Packing group</li> <li>ADR, IMDG, IATA</li> </ul>	Void	
<ul> <li>14.5 Environmental hazards:</li> <li>Marine pollutant:</li> </ul>	No	
<ul> <li>14.6 Special precautions for user</li> </ul>	Not applicable.	
<ul> <li>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</li> <li>Not applicable.</li> </ul>		
· Transport/Additional information:	No dangerous good in sense of these transport regulations.	
· UN "Model Regulation":	Void	

# **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations:
- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- Other regulations, limitations and prohibitive regulations
- Substances of very high concern (SVHC) according to REACH, Article 57 not applicable • Product-Code/Giscode: M-SK01
- 45.2 Chamical asfaty assassment
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 8)

GB



Page 8/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.12.2016

Version number 12

Revision: 09.12.2016

#### Trade name: KEIM GRANITAL-DILUTION (SPEZIAL-FIXATIV)

(Contd. of page 7)

#### **SECTION 16: Other information** This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. Department issuing SDS: KEIMFARBEN Germany, Product safety department Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) TRGS: Technische Regeln für Gefahrstoffe (Technical Rules for Dangerous Substances, BAuA, Germany) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative REACH: Registration, Evaluation and Authorisation of Chemicals (Regulation (EC) No.1907/2006) \* \* Data compared to the previous version altered.