

Page 1/8

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.08.2016

Version number 10

Revision: 12.08.2016

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### 1.1 Product identifier

- <sup>·</sup> Trade name: KEIM GRANITAL-GROB
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the mixture
- Highly filled exterior paint for priming and intermediate coats
- · Uses advised against All other uses are not recommended.

#### · 1.3 Details of the supplier of the safety data sheet

#### · Manufacturer/Supplier:

KEIM MINERAL PAINTS LTD Santok Building / Deer Park Way, Donnington Wood GB-Telford, Shropshire TF2 7NA Tel +44 1952 231 250 / Fax +44 1952 231 251 www.keimpaints.co.uk / sales@keimpaints.co.uk

- Further information obtainable from: David Pratt Telefon: +44 1952 231250 E-Mail: sales@keimpaints.co.uk
- **1.4 Emergency telephone number:** GBK GmbH Global Regulatory Compliance Emergency number: +49(0)6132/84463

## **SECTION 2: Hazards identification**

### · 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is not classified according to the CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- 2.3 Other hazards Alkaline product. Avoid contact with skin and eyes.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.

#### **SECTION 3: Composition/information on ingredients**

#### · 3.2 Mixtures

· Description: Purely mineral fillers, potassium water glass, pure acrylate emulsion

· Dangerous components:

12001-26-2 Mica

substance with a Community workplace exposure limit 2.5-10%

(Contd. on page 2)

GB



Page 2/8

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.08.2016

Version number 10

Revision: 12.08.2016

Trade name: KEIM GRANITAL-GROB

(Contd. of page 1)

## SECTION 4: First aid measures

- · 4.1 Description of first aid measures · General information: No special measures required. When seeing the doctor we suggest to present this safety data sheet. · After inhalation: Supply fresh air; consult doctor in case of complaints. · After skin contact: Immediately wash with water and soap and rinse thoroughly. Do not use solvents or thinners. If skin irritation continues, consult a doctor. · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing: Rinse mouth and throat well with water. Do not induce vomiting; call for medical help immediately. 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available. • 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available. **SECTION 5: Firefighting measures** 5.1 Extinguishing media · Suitable extinguishing agents: Product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings. 5.2 Special hazards arising from the substance or mixture No further relevant information available. · 5.3 Advice for firefighters · Protective equipment: Wear self-contained respiratory protective device. · Additional information In case of fire do not breathe smoke, fumes and vapours. Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. **SECTION 6: Accidental release measures** · 6.1 Personal precautions, protective equipment and emergency procedures Respect the protection rules (see section 7 a. 8). Avoid contact with skin and eyes. Ensure adequate ventilation Particular danger of slipping on leaked/spilled product.
  - **6.2 Environmental precautions:** Do not allow product to reach soil, sewage system or any water course. Follow local governmental rules and regulations. Dilute with plenty of water.

(Contd. on page 3)

GB



Page 3/8

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.08.2016

Version number 10

Revision: 12.08.2016

#### Trade name: KEIM GRANITAL-GROB

- (Contd. of page 2) · 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation. Dispose of the material collected according to regulations. Clear contaminated areas thoroughly. Flush rests with sufficient amount of water. 6.4 Reference to other sections No dangerous substances are released. See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. **SECTION 7: Handling and storage** · 7.1 Precautions for safe handling Keep receptacles tightly sealed. Avoid contact with skin and eyes. Do not inhale aerosols. See item 8 for information about suitable protective equipment and technical precautions. Respect the protection rules. Information about fire - and explosion protection: The product is not flammable. No special measures required. 7.2 Conditions for safe storage, including any incompatibilities · Storage: · Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles. Keep in the original containers in a cool and dry place. · Information about storage in one common storage facility: Do not store together with acids. · Further information about storage conditions: Protect from frost. Store in a cool place. Protect from heat and direct sunlight. · Storage class: 12 • 7.3 Specific end use(s) No further relevant information available. **SECTION 8: Exposure controls/personal protection** 
  - · 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

## 12001-26-2 Mica

- WEL Long-term value: 10\* 0.8\*\* mg/m<sup>3</sup>
  - \*total inhalable \*\*respirable

· Additional information: The lists valid during the making were used as basis.

(Contd. on page 4)

– GB



Page 4/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.08.2016

Version number 10

Revision: 12.08.2016

#### Trade name: KEIM GRANITAL-GROB

	(Contd. of page 3
<ul> <li>8.2 Exposure controls</li> </ul>	
Personal protective equipment:	
General protective and hygienic me	easures:
Avoid contact with the eyes and skin.	
Do not inhale aerosols.	
Wash hands before breaks and at the	end of work.
Immediately remove all soiled and cor	ntaminated clothing
Respiratory protection:	
Use suitable respiratory protective dev	vice only when aerosol or mist is formed.
Filter: P	
• Protection of hands: Protective glove	es
• Material of gloves	
suitable material e.g.:	
Nitrile impregnated cotton-gloves	
PVC or PE gloves	
Recommended thickness of the mater	rial: $\geq$ 0.5 mm
Natural rubber, NR	
Recommended thickness of the mater	
	oes not only depend on the material, but also on further mark
	rer to manufacturer. As the product is a preparation of severa
	e material can not be calculated in advance and has therefore
to be checked prior to the application.	
Penetration time of glove material	
Value for the permeation: Level $\geq$ 6 (4	
Value for the permeation: Level $\ge 6$ (4 The determined penetration times ac	ccording to EN 374 part III are not performed under practica
Value for the permeation: Level $\geq$ 6 (4 The determined penetration times ac conditions. Therefore a maximum we	ccording to EN 374 part III are not performed under practica
Value for the permeation: Level $\geq$ 6 (4 The determined penetration times ac conditions. Therefore a maximum we is recommended.	ccording to EN 374 part III are not performed under practica aring time, which corresponds to 50% of the penetration time
Value for the permeation: Level $\geq$ 6 (4 The determined penetration times ac conditions. Therefore a maximum we is recommended. The exact break trough time has to b	ccording to EN 374 part III are not performed under practica aring time, which corresponds to 50% of the penetration time
Value for the permeation: Level $\geq$ 6 (4 The determined penetration times ac conditions. Therefore a maximum we is recommended. The exact break trough time has to b has to be observed.	ccording to EN 374 part III are not performed under practica aring time, which corresponds to 50% of the penetration time be found out by the manufacturer of the protective gloves and
<ul> <li>Value for the permeation: Level ≥ 6 (4 The determined penetration times ac conditions. Therefore a maximum we is recommended.</li> <li>The exact break trough time has to b has to be observed.</li> <li>Eye protection: Tightly sealed goggle</li> </ul>	ccording to EN 374 part III are not performed under practica aring time, which corresponds to 50% of the penetration time be found out by the manufacturer of the protective gloves and es
Value for the permeation: Level $\geq$ 6 (4 The determined penetration times ac conditions. Therefore a maximum we is recommended. The exact break trough time has to b has to be observed.	ccording to EN 374 part III are not performed under practica aring time, which corresponds to 50% of the penetration time be found out by the manufacturer of the protective gloves an es
Value for the permeation: Level ≥ 6 (4 The determined penetration times ac conditions. Therefore a maximum we is recommended. The exact break trough time has to b has to be observed. • Eye protection: Tightly sealed goggle • Body protection: Protective work clo	ccording to EN 374 part III are not performed under practica aring time, which corresponds to 50% of the penetration time be found out by the manufacturer of the protective gloves and es thing
<ul> <li>Value for the permeation: Level ≥ 6 (4 The determined penetration times ac conditions. Therefore a maximum we is recommended.</li> <li>The exact break trough time has to b has to be observed.</li> <li>Eye protection: Tightly sealed goggle</li> </ul>	ccording to EN 374 part III are not performed under practica aring time, which corresponds to 50% of the penetration time be found out by the manufacturer of the protective gloves and es thing
<ul> <li>Value for the permeation: Level ≥ 6 (4 The determined penetration times ac conditions. Therefore a maximum we is recommended.</li> <li>The exact break trough time has to b has to be observed.</li> <li>Eye protection: Tightly sealed goggle</li> <li>Body protection: Protective work closed</li> </ul>	ccording to EN 374 part III are not performed under practica aring time, which corresponds to 50% of the penetration time be found out by the manufacturer of the protective gloves an es thing emical properties
Value for the permeation: Level ≥ 6 (4 The determined penetration times ac conditions. Therefore a maximum we is recommended. The exact break trough time has to b has to be observed. • Eye protection: Tightly sealed goggle • Body protection: Protective work clo SECTION 9: Physical and che	ccording to EN 374 part III are not performed under practica aring time, which corresponds to 50% of the penetration time be found out by the manufacturer of the protective gloves and es thing emical properties
<ul> <li>Value for the permeation: Level ≥ 6 (4 The determined penetration times ac conditions. Therefore a maximum we is recommended.</li> <li>The exact break trough time has to b has to be observed.</li> <li>Eye protection: Tightly sealed goggle</li> <li>Body protection: Protective work closed</li> <li>SECTION 9: Physical and che</li> <li>9.1 Information on basic physical and che</li> </ul>	ccording to EN 374 part III are not performed under practica aring time, which corresponds to 50% of the penetration time be found out by the manufacturer of the protective gloves and es thing emical properties
<ul> <li>Value for the permeation: Level ≥ 6 (4 The determined penetration times ac conditions. Therefore a maximum we is recommended.</li> <li>The exact break trough time has to b has to be observed.</li> <li>Eye protection: Tightly sealed goggle</li> <li>Body protection: Protective work cloined</li> <li>SECTION 9: Physical and che</li> <li>9.1 Information on basic physical and General Information</li> </ul>	ccording to EN 374 part III are not performed under practica aring time, which corresponds to 50% of the penetration time be found out by the manufacturer of the protective gloves and es thing emical properties nd chemical properties
<ul> <li>Value for the permeation: Level ≥ 6 (4 The determined penetration times ac conditions. Therefore a maximum we is recommended.</li> <li>The exact break trough time has to b has to be observed.</li> <li>Eye protection: Tightly sealed goggle</li> <li>Body protection: Protective work cloin</li> <li>SECTION 9: Physical and che</li> <li>9.1 Information on basic physical and General Information</li> <li>Appearance:</li> </ul>	ccording to EN 374 part III are not performed under practica aring time, which corresponds to 50% of the penetration time be found out by the manufacturer of the protective gloves and es thing emical properties nd chemical properties Pasty
Value for the permeation: Level ≥ 6 (4 The determined penetration times ac conditions. Therefore a maximum we is recommended. The exact break trough time has to b has to be observed. • Eye protection: Tightly sealed goggle • Body protection: Protective work cloo SECTION 9: Physical and che • 9.1 Information on basic physical at • General Information • Appearance: Form:	ccording to EN 374 part III are not performed under practica aring time, which corresponds to 50% of the penetration time be found out by the manufacturer of the protective gloves and es thing emical properties nd chemical properties
Value for the permeation: Level ≥ 6 (4 The determined penetration times ac conditions. Therefore a maximum we is recommended. The exact break trough time has to b has to be observed. • Eye protection: Tightly sealed goggle • Body protection: Protective work cloo SECTION 9: Physical and che • 9.1 Information on basic physical at • General Information • Appearance: Form: Colour:	ccording to EN 374 part III are not performed under practica aring time, which corresponds to 50% of the penetration time be found out by the manufacturer of the protective gloves and es thing emical properties nd chemical properties Pasty Different, according to colouring.
Value for the permeation: Level ≥ 6 (4 The determined penetration times ac conditions. Therefore a maximum we is recommended. The exact break trough time has to b has to be observed. • Eye protection: Tightly sealed goggle • Body protection: Protective work clor SECTION 9: Physical and che • 9.1 Information on basic physical at • General Information • Appearance: Form: Colour: • Odour: • pH-value at 20 °C:	ccording to EN 374 part III are not performed under practica aring time, which corresponds to 50% of the penetration time be found out by the manufacturer of the protective gloves and es thing emical properties nd chemical properties Pasty Different, according to colouring. Odourless
Value for the permeation: Level ≥ 6 (4 The determined penetration times ac conditions. Therefore a maximum we is recommended. The exact break trough time has to b has to be observed. • Eye protection: Tightly sealed goggle • Body protection: Protective work clor SECTION 9: Physical and che • 9.1 Information on basic physical at • General Information • Appearance: Form: Colour: • Odour: • pH-value at 20 °C: • Change in condition	ccording to EN 374 part III are not performed under practical aring time, which corresponds to 50% of the penetration time be found out by the manufacturer of the protective gloves and est thing emical properties nd chemical properties Pasty Different, according to colouring. Odourless ~11*
Value for the permeation: Level ≥ 6 (4 The determined penetration times ac conditions. Therefore a maximum we is recommended. The exact break trough time has to b has to be observed. • Eye protection: Tightly sealed goggle • Body protection: Protective work clor SECTION 9: Physical and che • 9.1 Information on basic physical an • General Information • Appearance: Form: Colour: • Odour:	ccording to EN 374 part III are not performed under practica aring time, which corresponds to 50% of the penetration time be found out by the manufacturer of the protective gloves and es thing emical properties nd chemical properties Pasty Different, according to colouring. Odourless

(Contd. on page 5) GB



Page 5/8

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.08.2016

Version number 10

Revision: 12.08.2016

#### Trade name: KEIM GRANITAL-GROB

	(Contd. of page 4
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	Not determined.
· Decomposition temperature:	Not determined.
· Self-igniting:	Product is not selfigniting.
<sup>.</sup> Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits: Lower:	Not applicable.
Upper: · Oxidising properties	Not applicable. Not applicable.
<sup>·</sup> Vapour pressure at 20 °C:	~23 hPa
· Density at 20 °C:	1.6* g/cm <sup>3</sup>
<sup>.</sup> Vapour density	Not applicable.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with	
water:	miscible
Partition coefficient (n-octanol/water): Not applicable.	
· Viscosity:	
Dynamic at 20 °C:	1700-2100* mPas
Kinematic:	Not determined.
9.2 Other information	* The values are for freshly produced material and ma change with the time.

## **SECTION 10: Stability and reactivity**

- **10.1 Reactivity** No further relevant information available.
- 10.2 Chemical stability Stable under normal conditions of storage and use.
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: Acids
- · 10.6 Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed.

## **SECTION 11: Toxicological information**

#### · 11.1 Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 6)

GB



Page 6/8

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.08.2016

Version number 10

Revision: 12.08.2016

(Contd. of page 5)

#### Trade name: KEIM GRANITAL-GROB

- · LD/LC50 values relevant for classification: not determined
- · Primary irritant effect:
- Skin corrosion/irritation Frequent persistent contact with the skin may cause skin irritation.
- Serious eye damage/irritation In case of longer exposure, slightly irritating effect is possible.
- · during inhalation: Irritant effect possible.
- during swallowing: Irritant effect possible
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Other information (about experimental toxicology):
- Experimental analysis are not available.

The product was not tested. The statements on toxicology have been derived from the properties of the individual components.

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) not applicable
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- $\cdot$  STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

#### · 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · AOX-indication:

Due to the substance of content which do not include organic jointed halogens, the product can not take influence on the AOX-load of the waste water.

• According to the formulation contains the following heavy metals and compounds from the EU guideline NO. 2006/11/EC:

The product contains TiO2.

#### General notes:

At present there are no ecotoxicological assessments.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

• **12.6 Other adverse effects** No further relevant information available.

## **SECTION 13: Disposal considerations**

## · 13.1 Waste treatment methods

• **Recommendation** Disposal must be made according to official regulations.

(Contd. on page 7)



Page 7/8

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.08.2016

Version number 10

Revision: 12.08.2016

(Contd. of page 6)

#### Trade name: KEIM GRANITAL-GROB

#### · European waste catalogue

08 01 12 waste paint and varnish other than those mentioned in 08 01 11

· Uncleaned packaging:

• **Recommendation:** Disposal must be made according to official regulations.

• Recommended cleansing agents: Water, if necessary with cleansing agents.

SECTION 14: Transport information		
· 14.1 UN-Number · ADR, IMDG, IATA	Void	
<ul> <li>14.2 UN proper shipping name</li> <li>ADR, IMDG, IATA</li> </ul>	Void	
· 14.3 Transport hazard class(es)		
· ADR, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
<ul> <li>14.5 Environmental hazards:</li> <li>Marine pollutant:</li> </ul>	No	
<sup>14.6</sup> Special precautions for user	Not applicable.	
• 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.		
· Transport/Additional information:	No dangerous good in sense of these transport regulations.	
· UN "Model Regulation":	Void	

## **SECTION 15: Regulatory information**

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

• National regulations:

· Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

• Other regulations, limitations and prohibitive regulations

· Substances of very high concern (SVHC) according to REACH, Article 57 not applicable

· Product-Code/Giscode: M-SK01

(Contd. on page 8)

GB



Page 8/8

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.08.2016

Version number 10

Revision: 12.08.2016

(Contd. of page 7)

#### Trade name: KEIM GRANITAL-GROB

#### • 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS: KEIMFARBEN Germany, Product safety department

#### Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) TRGS: Technische Regeln für Gefahrstoffe (Technical Rules for Dangerous Substances, BAuA, Germany) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative REACH: Registration, Evaluation and Authorisation of Chemicals (Regulation (EC) No.1907/2006) \* Data compared to the previous version altered. GB