

## SAFETY DATA SHEET 103/Q227 - WATER BASED OIL REMOVER

SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1. Product identifier		
Product name	103/Q227 - WATER BASED OIL REMOVER	
Product number	103/Q227/1	
1.2. Relevant identified uses	1.2. Relevant identified uses of the substance or mixture and uses advised against	
Identified uses	Cleaning agent. Oil stain remover.	
1.3. Details of the supplier of the safety data sheet		
Supplier		
	COO-VAR	
	Lockwood Street	
	Hull	
	HU2 0HN	
	+44 (0) 1482 328053(T) +44 (0) 1482 219266(F)	
	info@coo-var.co.uk	
Contact person	Technical Department -, 08.30 - 16.30 hrs Mon - Thurs, 08.30 - 15.00 hrs Fri, as above	
1.4. Emergency telephone number		
Emergency telephone	+44 (0) 1482 328053 (08.30 - 16.30 hrs Mon - Thurs, 08.30 - 15.00 hrs Fri)	
SDS No.	11099	
SECTION 2: Hazards identifi	cation	
2.1. Classification of the subs	stance or mixture	
Classification (EC 1272/2008		
Physical hazards	Not Classified	
Health hazards	Not Classified	
Environmental hazards	Not Classified	
2.2. Label elements		
2.3. Other hazards		
SECTION 3: Composition/information on ingredients		
3.2. Mixtures		
Composition comments	Proprietary blend of natural materials including plant extracts and natural surfactants blended and fatty acids.	
SECTION 4: First aid measures		
4.1. Description of first aid measures		

General information

Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Never give anything by mouth to an unconscious person.

Inhalation	Remove affected person from source of contamination. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Get medical attention if any discomfort continues. Place unconscious person on their side in the recovery position and ensure breathing can take place.
Ingestion	DO NOT induce vomiting. Get medical attention immediately. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.
Skin contact	Remove affected person from source of contamination. Remove contaminated clothing immediately and wash skin with soap and water.
Eye contact	Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention.
4.2. Most important symptoms	and effects, both acute and delayed
General information	Get medical attention promptly if symptoms occur after washing.
4.3. Indication of any immediat	e medical attention and special treatment needed
Notes for the doctor	No specific recommendations.
SECTION 5: Firefighting measure	ures
5.1. Extinguishing media	
Suitable extinguishing media	Extinguish with foam, carbon dioxide, dry powder or water fog. Do not use water jet as an extinguisher, as this will spread the fire.
5.2. Special hazards arising fro	m the substance or mixture
Specific hazards	The product is non-combustible. Toxic and corrosive gases or vapours.
5.3. Advice for firefighters	
Protective actions during firefighting	Avoid breathing fire gases or vapours. Avoid the spillage or runoff entering drains, sewers or watercourses. Cool containers exposed to flames with water until well after the fire is out.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.
SECTION 6: Accidental release	e measures
6.1. Personal precautions, prot	ective equipment and emergency procedures
Personal precautions	Avoid inhalation of vapours and contact with skin and eyes. Provide adequate ventilation. Wear protective clothing as described in Section 8 of this safety data sheet.
6.2. Environmental precautions	
Environmental precautions	Avoid discharge into drains or watercourses or onto the ground. Contain spillage with sand, earth or other suitable non-combustible material. Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.
6.3. Methods and material for c	containment and cleaning up
Methods for cleaning up	Avoid the spillage or runoff entering drains, sewers or watercourses. Absorb in vermiculite, dry sand or earth and place into containers. Collect and place in suitable waste disposal containers and seal securely. For waste disposal, see Section 13.
6.4. Reference to other section	<u>s</u>
Reference to other sections	For personal protection, see Section 8.
SECTION 7: Handling and stor	age

#### 7.1. Precautions for safe handling

Usage precautions	Keep away from heat, sparks and open flame. Avoid spilling. Avoid contact with skin and eyes. Avoid inhalation of vapours and spray mists. Do not eat, drink or smoke when using the product. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. The Manual Handling Operations Regulations may apply to the handling of containers of this product. To assist employers, the following method of calculating the weight for any pack size is given. Take the pack size volume in litres and multiply this figure by the specific gravity value given in section 9. This will give the net weight of the coating in kilograms. Allowance will then have to be made for the immediate packaging to give an approximate gross weight.	
7.2. Conditions for safe storage	e, including any incompatibilities	
Storage precautions	Store in closed original container at temperatures between 5°C and 25°C. Keep away from heat, sparks and open flame. Protect from freezing and direct sunlight. Keep container tightly closed. Keep containers upright. Store away from the following materials: Oxidising materials. Alkalis. Acids.	
7.3. Specific end use(s)		
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.	
Usage description	Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible.	

SECTION 8: Exposure Controls/personal protection

#### 8.1. Control parameters

### Occupational exposure limits

#### (2-methoxymethylethoxy) propanol

Long-term exposure limit (8-hour TWA): WEL 50 ppm 308 mg/m<sup>3</sup> Sk WEL = Workplace Exposure Limit

Sk = Can be absorbed through skin.

#### 8.2. Exposure controls

#### Protective equipment

Appropriate engineering

Eye/face protection

Hand protection



controls



Provide adequate ventilation. Observe Occupational Exposure Limits and minimise the risk of inhalation of vapours.

Wear approved, tight fitting safety glasses where splashing is probable.

Wear protective gloves made of the following material: Neoprene, nitrile, polyethylene or PVC. It should be noted that liquid may penetrate the gloves. Frequent changes are recommended. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. Barrier cream applied before work may make it easier to clean the skin after exposure, but does not prevent absorption through the skin.

Other skin and body protection

Hygiene measures

Wear appropriate clothing to prevent reasonably probable skin contact.

No specific hygiene procedures recommended but good personal hygiene practices should always be observed when working with chemical products.

Respiratory protection	Protection against nuisance dust must be used when the airborne concentration exceeds 10
mg/m3. In case of inadequate ventilation or risk of inhalation of dust, use suitable resp	mg/m3. In case of inadequate ventilation or risk of inhalation of dust, use suitable respiratory
	equipment with particle filter (type P2).

### SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties	
Appearance	Coloured liquid.
Colour	Blue.
Odour	Pleasant, agreeable.
рН	pH (concentrated solution): 9 - 10
Initial boiling point and range	100°C @ 760 mm Hg
Flash point	n/a°C
Relative density	1.01 @ @ 20°C
Solubility(ies)	Soluble in water.
9.2. Other information	
Volatile organic compound	This product contains a maximum VOC content of 0 g/litre.
SECTION 10: Stability and rea	activity
10.1. Reactivity	
Reactivity	There are no known reactivity hazards associated with this product.
10.2. Chemical stability	
Stability	Stable at normal ambient temperatures and when used as recommended.
10.3. Possibility of hazardous reactions	
Possibility of hazardous reactions	Not determined.
10.4. Conditions to avoid	
Conditions to avoid	Avoid heat, flames and other sources of ignition. Avoid contact with the following materials: Acids. Oxidising agents.
10.5. Incompatible materials	
Materials to avoid	Strong alkalis. Strong acids. Strong oxidising agents.
10.6. Hazardous decomposition	on products
Hazardous decomposition products	Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.
SECTION 11: Toxicological information	
11.1. Information on toxicolog	ical effects
Toxicological effects	No data recorded.
General information	No specific health hazards known.
Inhalation	No specific health hazards known.
Ingestion	No harmful effects expected from quantities likely to be ingested by accident.

Skin contact	Prolonged contact may cause dryness of the skin.	
Eye contact	May cause temporary eye irritation.	
Acute and chronic health hazards	This product has low toxicity. Only large quantities are likely to have adverse effects on human health.	
Route of entry	Skin absorption. Ingestion. Skin and/or eye contact.	
Medical considerations	Skin disorders and allergies.	
Toxicological information		
SECTION 12: Ecological Inform	nation	
Ecotoxicity	There are no data on the ecotoxicity of this product.	
12.1. Toxicity		
12.2. Persistence and degradability		
Persistence and degradability	The product is expected to be biodegradable.	
12.3. Bioaccumulative potential		
Bioaccumulative potential	No data available on bioaccumulation.	
12.4. Mobility in soil		
Mobility	The product contains substances, which are water soluble and may spread in water systems.	
12.5. Results of PBT and vPvE	3 assessment	
12.6. Other adverse effects		
Other adverse effects	Not determined.	
SECTION 13: Disposal consid	erations	
13.1. Waste treatment method	<u>s</u>	
General information	Avoid the spillage or runoff entering drains, sewers or watercourses. Waste should be treated as controlled waste. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.	
Disposal methods	Avoid the spillage or runoff entering drains, sewers or watercourses.	
Waste class	When this coating, in its liquid state, as supplied, becomes a waste, it is categorised as non- hazardous waste, with code 08 01 12 (WATER BASED LIQUID WASTE). Part used containers, not drained and/or rigorously scraped out and containing dry residues of the supplied coating, are categorised as non-hazardous waste, with code 08 01 12 (WATER BASED LIQUID WASTE). If mixed with other wastes, the above waste code may not be applicable. Used containers, drained and/or rigorously scraped out and containing dry residues of the supplied coating, are categorised as non-hazardous waste, with code 15 01 02 (plastic packaging) or 15 01 04 (metal packaging).	

### SECTION 14: Transport information

General

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

#### 14.1. UN number

Not applicable.

14.2. UN proper shipping name

#### Not applicable.

Proper shipping name (ADR/RID)	PAINT OR PAINT RELATED MATERIAL	
Proper shipping name (IMDG)	PAINT OR PAINT RELATED MATERIAL	
Proper shipping name (ICAO)	PAINT OR PAINT RELATED MATERIAL	
Proper shipping name (ADN)	PAINT OR PAINT RELATED MATERIAL	
14.3. Transport hazard class(es)		
Not applicable.		

#### 14.4. Packing group

Not applicable.

#### 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

#### 14.6. Special precautions for user

No information required.

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

#### Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

#### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as amended).
EU legislation	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).
Guidance	Workplace Exposure Limits EH40.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

#### SECTION 16: Other information

Revision comments	Issued in new format for Reach compliance in accordance with EC 1272/2008 Issued in accordance with Annex II to REACH, as amended by Commission Regulation (EU) No. 453/2010 Amendment to Section 8.2, recommendations for respiratory protective equipment and hand protection.
Issued by	Technical Dept. (P.E.)
Revision date	29/05/2015
Revision	3

Supersedes date	24/04/2013
SDS number	11099
SDS status	Approved.
Signature	Initials
Risk phrases in full	Not classified.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.